

# AVC 016 PA, angle valve, pneumatic, without PI, without PV




## **AVC 016 PA**



### AVC 016 PA, angle valve, pneumatic, without PI, without PV

- Bellows-sealed
- With visual indication of open and closed positions
- Without control valve
- Service life: 10 million operating cycles

**Dimensions** 



# **AVC 016 PA**

Set of seals for AVC/DVC valve, DN 16 ISO-

valve, DN 16 ISO-KF

Corrugated bellows, complete for AVC/DVC PT 130 303 -T

Technical Data	AVC 016 PA, angle valve, pneumatic, without PI, without PV
Feedthrough	Stainless steel   Bellows
Seal	FKM
Housing	Aluminum
Actuator	Pneumatic
Tightness	1 · 10 <sup>-10</sup> Pa m <sup>3</sup> 1.33 · 10 <sup>-8</sup> 1 · 10 <sup>-8</sup> /s   Torr l/s   mbar l/s
Conductance value with molecular flow	5 l/s
Operating pressure min.	1 · 10 <sup>-8</sup> hPa   7.5 · 10 <sup>-9</sup> Torr   1 · 10 <sup>-8</sup> mbar
Pressure max. (absolute)	2,000 hPa   1,500 Torr   2,000 mbar
Bakeout temperature: actuator, pilot valve	120 °C   248 K   -153.15 °F
Bakeout temperature: housing	80 °C   176 K   -193.2 °F
Differential pressure in closing direction	5,000 hPa   3,750 Torr   5,000 mbar
Differential pressure in opening direction	2,000 hPa   1,500 Torr   2,000 mbar
Weight	0.38 kg   0.84 lb
Compressed air volume	4 cm <sup>3</sup>
Operating pressure min.	1 · 10 <sup>-8</sup> hPa
Pressure max. (absolute)	2,000 hPa
Connection flange	DN 16 ISO-KF
Closing/opening time	100 ms/100 ms
Compressed air (overpressure)	4 000 - 8 000 hPa
Differential pressure in closing direction	5,000 hPa
Differential pressure in opening direction	2,000 hPa
Weight	0.38 kg
Order number	AVC 016 PA, angle valve, pneumatic, without PI, without PV
AVC 016 PA, angle valve, pneumatic, without PI, without PV	PF A35 004
Accessories	AVC 016 PA, angle valve, pneumatic, without PI, without PV

PT 130 300 -T



#### Your Success. Our Passion.

We give our best for you every day worldwide!



Are you looking for an optimum vacuum solution? Talk to us: Pfeiffer Vacuum GmbH

Germany T+49 6441 802-0

Or scan the barcode, to visit our web page:



https://webportal.pfeiffer-vacuum.com/global/en/contact



Follow Us On Social Media #pfeiffervacuum















www.pfeiffer-vacuum.com